
ORCalc

Installation Guide

ver. 1.4

Version History

Version	Date
v.1.0	9 th June 2009
v.1.1	9 th December 2009
v.1.2	25 th August 2010
v.1.3	17 th March 2011
v.1.4	21 st June 2012

Key changes to previous version



Page	Comment
2	Removed download web address section

Version QA

Author	MP	21 st June 2012
Checked	CP	21 st June 2012


Installation Guide

- 1 The installation files need to be extracted from its compressed format into an empty folder. Ensure that the file extraction process is carried out properly and completely (i.e. not through drag-and-drop into new folder). This ensures all required files are extracted for installation use and errors are avoided.
- 2 The user must ensure that previous installation/version of the software is removed. Please use windows 'Add or Remove Programs' facility found in 'Control Panel' to do so.



- 3 ORCalc requires Microsoft .NET Framework 2.0 and an internet connection will be required to download the relevant .NET Framework patch. The user will be prompted automatically if this installation is necessary.
- 4 Some users might require administrator rights to install ORCalc or to update the Microsoft .NET framework. Hence access to this security levels may be required.


5 Click on the **'Setup.exe'** file to start installing the software




6 Click **'Next'** to initiate installation.




7 Select the installation directory (default is recommended). Then click "Next" twice and "Finish" once.




8 The user must agree to the CLG terms and conditions of usage shown in the pop-up screen before the software starts.




9 Before using the software, the user must link the software to the appropriate CIP XML file. A valid CIP XML file must be obtained from the Central Register to produce accurate and valid OR outputs.



10 For trial and training purposes a dummy CIP has been made available with the ORCalc download package. The dummy CIP XML file is in the 'Databases' folder, which is automatically installed to the location selected during the ORCalc installation process. Please note that software using this CIP database will NOT produce valid and accurate OR outputs. Go to 'Settings' and click on 'CIP Location'. This opens a dialog where the user specifies the location of the CIP database (preferably on a local drive).



Successful linking to the CIP XML will be flagged by software.



ORCalc is now setup and ready to be used.